

## Cushion Rope Cushion Pac Ultra





DIAMETER		CONSTRUCTION	APPROX. WEIGHT		MINIMUM BREAKING LOAD	
inches	mm		lb/ft	kg/m	Tons	kN
1 1/2	38	8 x 31 Dy-Pac 8 CR/CC & CPU	4.5	6.7	110	981
1 5/8	41	8 x 31 Dy-Pac 8 CR/CC & CPU	5.3	7.9	128	1,141
1 3/4	44	8 x 31 Dy-Pac 8 CR/CC & CPU	6.2	9.2	150	1,336
1 7/8	48	8 x 31 Dy-Pac 8 CR/CC & CPU	7.1	10.5	171	1,522
2	51	8 x 31 Dy-Pac 8 CR/CC & CPU	7.9	11.7	192	1,708
2 1/8	54	8 x 31 Dy-Pac 8 CR/CC & CPU	9.1	13.5	220	1,962
2 1/4	57	8 x 31 Dy-Pac 8 CR/CC & CPU	10.1	15.1	245	2,181
2 3/8	60	8 x 31 Dy-Pac 8 CR/CC & CPU	11.2	16.7	271	2,410
2 1/2	64	8 x 31 Dy-Pac 8 CR/CC & CPU	12.6	18.7	304	2,706
2 5/8	67	8 x 31 Dy-Pac 8 CR/CC & CPU	14.0	20.8	339	3,018
2 3/4	70	8 x 36 Dy-Pac 8 CR/CC & CPU	15.2	22.6	351	3,120
2 7/8	73	8 x 36 Dy-Pac 8 CR/CC & CPU	16.6	24.7	400	3,562
3	76	8 x 36 Dy-Pac 8 CR/CC & CPU	18.1	26.9	436	3,881

This table is for guidance purposes only with no guarantee or warranty (express or implied) as to its accuracy. The products described may be subject to change without notice, and should not be relied on without further advice from Bridon-Bekaert. The cross section image is for reference only. Actual cross sections vary due to diameter. Visit www.bridon-bekaert.com for the most up-to-date data.

## Cushion Pac Extreme (CPX)



DIAMETER	CONSTRUCTION	APPROX. WEIGHT		MINIMUM BREAKING LOAD	
inches		lb/ft	kg/m	Tons	kN
2 3/8	Cushion Pac Extreme	11.09	16.50	318	2829
2 1/2	Cushion Pac Extreme	12.27	18.25	350	3114
2 5/8	Cushion Pac Extreme	13.3	19.79	379	3372
2 3/4	Cushion Pac Extreme	14.49	21.56	398	2651
2 7/8	Cushion Pac Extreme	15.80	23.75	440	3914

This table is for guidance purposes only with no guarantee or warranty (express or implied) as to its accuracy. The products described may be subject to change without notice, and should not be relied on without further advice from Bridon-Bekaert. The cross section image is for reference only. Actual cross sections vary due to diameter. Visit www.bridon-bekaert.com for the most up-to-date data.