

**EC Declaration of Performance**  
**Widra®**

**CUSTOMER**  
**INFORMATION**

1. Unique identification code of the product: **Widra®**  
with different types, shapes and dimensions - product types see table 1.
2. Intended use:  
**Metal bead** for internal plastering and external rendering on walls, partitions, ceilings or columns.
3. Manufacturer: NV BEKAERT SA Bekaertstraat 2, B-8550 Zwevegem, Belgium.
5. System of assessment and verification of constancy of performance of the construction product:  
System n°4
- 6a. Harmonized Standard : EN 13658-1 & 2 :2005
7. Declared performance: the essential characteristics per product type are listed in table 1.

The performance of the products above and listed in table 1, is in conformity with the declared performance in point 7.

This declaration of performance is issued, in accordance with regulation (EU) N°305/2011 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Raf Rentmeesters, Senior Vice President Building Products - NV Bekaert SA

Approved by:  
**Raf Rentmeesters**  
Issued and signed on version date, Zwevegem-Belgium



Disclaimer: This Customer Information shall not constitute a guarantee for any specific use of the product. Final determination of suitability of this material is the sole responsibility of the user.

<b>EC Declaration of Performance</b> <b>Widra®</b>	<b>CUSTOMER INFORMATION</b>
---	-----------------------------

Addendum to pt 7. Declared Performance on essential characteristics – see table 1

Table 1: Declaration on essential characteristics per Widra® product type - according EN 13658-1 and 2: 2005

Product Type	Widra® IP and IPE Widra® AP and APE Widra® APA and APAE Widra® APSW Widra® APS Widra® APR Widra® APB	Widra® APK Widra® APBK Widra® APAK	Widra® APHK, Widra® APHK10  Widra D-10-Z	Widra® APP  Widra® APAP
Galvanized WIRE Beads				
Type of plaster-and render carrier	Wire angle bead	Wire angle bead with plastic extrusion strip on top	Wire angle Stop-Socle-Expansion bead with plastic extrusion strip on top	Wire angle bead, epoxy coated
Intended use	Metal bead for internal plastering and external rendering on walls, partitions, ceilings or columns.			
Reaction to fire	Class A1	Class E		
Dangerous substances	None			

Product Type	Widra® AZ-005 Widra® AZ-007			Widra® AZ-231	Widra® AZ-105 Widra® AZ-106 Widra® AZ-108
Alu - Zink STEEL SHEET Beads					
Type of plaster-and render carrier	Steel sheet angle bead			Steel sheet stop bead	Plastering guide profile
Intended use	Metal bead for internal plastering and external rendering on walls, partitions, ceilings or columns.				
Reaction to fire	Class A1			Class A1	Class A1
Dangerous substances	None				

Disclaimer: This Customer Information shall not constitute a guarantee for any specific use of the product. Final determination of suitability of this material is the sole responsibility of the user.

<b>EC Declaration of Performance</b> <b>Widra®</b>	<b>CUSTOMER INFORMATION</b>
---	-----------------------------

Product Type <b>Galvanized STEEL SHEET Beads</b>	<b>Widra® Z-005</b> <b>Widra® Z-007</b>	<b>Widra® Z-449-K</b> <b>Widra® Z-452-K</b> <b>Widra® Z-454-K</b>	<b>Widra® Z-223-K</b> <b>Widra® Z-224-K</b> <b>Widra® Z-225-K</b>	<b>Widra® Z-231</b>	<b>Widra® Z-105</b> <b>Widra® Z-106</b> <b>Widra® Z-108</b>  <b>Widra® Z-300</b> <b>Widra® Z-301</b>
Type of plaster- and render carrier	Steel sheet angle bead	Steel sheet angle bead with plastic extrusion strip on top	Steel sheet stop-socle bead with plastic extrusion strip on top	Steel sheet stop bead	Plastering guide profile
Intended use	Metal bead for internal plastering and external rendering on walls, partitions, ceilings or columns.				
Reaction to fire	Class A1	Class E	Class E	Class A1	Class A1
Dangerous substances	None				

Disclaimer: This Customer Information shall not constitute a guarantee for any specific use of the product. Final determination of suitability of this material is the sole responsibility of the user.