

Bezinal® Fruit Solutions

Supports and protects your orchard, securing a higher yield



General description

Choose Bezinal® Fruit Solutions for reliable orchard trellising and protection. Our durable and sustainable product is easy to install and built to last, which means you don't have to worry about constant replacements or repairs so that you can focus on your orchard's growth. Invest in the future of your orchard and enjoy increased yield return.

Application

Our wire solutions with Bezinal® coating provide long-lasting security and protection for your trellising and anti-hail systems, resulting in higher yield returns for your fresh produce.

Specifications

Comparison of performance

	Ordinary Galvanized	Heavy Galvanized	Bezinal® Fruit Solution
Lifetime	●○○	●●○	●●●
Elongation	●○○	●○○	●●●
Soil-tested corrosion protection	●○○	●○○	●●●
Coating consistency	●○○	●○○	●●●
Installation and maintenance	●○○	●●○	●●●
Total cost per hectare	●○○	●○○	●●●

Discover the equivalent of OG/HG in our Bezinal® Fruit range

Length = Usable wire lengths (meters) in one 25kg coil

JDP	Ordinary / Heavy Galvanized 400/550 N/mm ²			Fruit Tensioning and Protection TS 1100/1300 N/mm ²			Fruit Tensioning and Protection TS 1250/1450 N/mm ²		
	mm	BL in kg	Length m	mm	BL in kg	Length m	mm	BL in kg	Length m
11	1,6	95							
12	1,8	120	±1250						
13	2	150	±1000						
14	2,2	180	±825						
15	2,4	215	±650						
16 (2.7)	2,8	290	±520						
17	3	335	±450	2	380	±1000			
18 (3.4)	3,5	450	±530	2,2	460	±825	2	420	±1000
19 (3.9)	4	595	±400	2,5	590	±650	2,2	510	±825
20(4.4)	4,5	755	±320	3	850	±450	2,5	660	±650
21 (4.9)	5	930	±260	3,5	1155	±320	3	955	±450
22 (5.4)	5,5	1125	±215	4	1510	±250	3,5	1300	±320
24 (6.4)	6,5	1575	±150				4	1700	±250
25	7	1830	±130						
26	7,6	2155	±110						

Learn how smaller diameters can provide same breaking load, while saving you money per hectare.

Commercial Galvanized Wire (400/550 N/mm ²)						
JDP	Diameter mm	Breaking Load kg	Weight kg for 1 m	Elongation %	m per hectare	Total kg
17	3.0	335	0.056	15	26 000	1 456
20	4.5	755	0.125	15	2 900	363
22	5.5	1 130	0.186	15	8 600	1 600
						3 418

Bezinal® Fruit Wire (1100/1300 N/mm ²)						
JDP	Diameter mm	Breaking Load kg	Weight kg for 1 m	Elongation %	m per hectare	Total kg
13	2.0	380	0.025	4	26 000	650
17	3.0	850	0.056	4	2 900	162
18	3.5	1 155	0.076	4	8 600	654
						1.466

Difference by weight: **57%** ←

* All diameters in the tables above are for comparison. To see other comparisons, please contact our local contact person.

Available make-up and packaging

Re-wound 25 kg and catch weight coils 40kg or 100kg,
wooden drums 200kg and 400kg



Storage instruction



Keep dry



Dust free



Oil free

bekaert.com/fruitsupportandprotection

Contact: info.agri@bekaert.com - www.bekaert.com

Modifications reserved. All details describe our products in general form only. For ordering and design only use official specifications and documents.
Unless otherwise indicated, all trademarks mentioned in this brochure are registered trademarks of NV Bekaert SA or its subsidiaries. © Bekaert 2024 -
Responsible editor: NV Bekaert SA - 07 2024

